

KAHVAT JA TARVIKKEET SÄHKÖLUKOILLE

ANT1B001A1-PM0.2

Kahva, P-KUBE Smart, RFID, led, nappi, M12

- Kahvaratkaisut
- Lock out -laitteet
- Liitoskaapelit




TUOTEKUVAUS

Kahvat ja tarvikkeet sähkölukoille

Double fixing possibility




For applications on light or compact guards, it is possible to order the version with fixing directly on the handle using the two internal threaded inserts.

In the case of application on heavier guards, it is possible to fix the handle through an internal 5mm auxiliary plate, made of painted steel, to guarantee strength and long duration.




Adaptability and flexibility


The same article code can be used both on hinged doors and sliding doors, with an opening both on the right and on the left side. Furthermore, it is possible to install the handle with horizontal or vertical grip, so that it can also be mounted on doors or compact guards along the external frame.



Grip



Internal fixing plate (articles ANT●●0●●●●)



Versions with button and illuminated grip

Connection

Pin	Cable colour	Connection
1	white	Supply input +0 Vdc
2	brown	Supply input +24 Vdc
3	green	Control input green (G) +24 Vdc
4	yellow	LED power supply for button lighting +24 Vdc
5	grey	Button NO contact
6	pink	Button NO contact
7	blue	Control input blue (B) +24 Vdc
8	red	Control input red (R) +24 Vdc

LED grip lighting combinations

R	G	B	Colour
0	0	0	
1	0	0	
0	1	0	
0	0	1	

R	G	B	Colour
1	1	0	
1	0	1	
0	1	1	
1	1	1	

0 = colour control input off, 1 = colour control input on.