


VETOSUKAT K

K-sarja

K20/1

K-Vetosukka 15-20



- Raskaiden kaapeliden vetoon
- Valmistettu galvanoidusta teräksestä
- Helppo käyttää

TUOTEKUVAUS



Raskaiden kaapeleiden vetoon

TEKNISET TIEDOT

Kaapelin halkaisija	15-20 mm
Paino	0,19 kg
Vetolujuus	12,9 kN

Shield = shield / jacket / armor / galvanized = 1770 Nitrox2

Code	Type	Size	Weight	Length	1.1'	1.5'	3.0'	4.0'	5.0'
1770-1	R	1/2"	1.5	1000	100	150	300	400	500
1770-2	R	3/4"	2.5	1000	100	150	300	400	500
1770-3	R	1"	3.5	1000	100	150	300	400	500
1770-4	R	1 1/4"	5.5	1000	100	150	300	400	500
1770-5	R	1 3/4"	7.5	1000	100	150	300	400	500
1770-6	R	2"	10.5	1000	100	150	300	400	500
1770-7	R	2 1/4"	13.5	1000	100	150	300	400	500
1770-8	R	2 3/4"	16.5	1000	100	150	300	400	500
1770-9	R	3"	19.5	1000	100	150	300	400	500
1770-10	R	3 1/4"	22.5	1000	100	150	300	400	500
1770-11	R	3 3/4"	25.5	1000	100	150	300	400	500
1770-12	R	4"	28.5	1000	100	150	300	400	500
1770-13	R	4 1/4"	31.5	1000	100	150	300	400	500
1770-14	R	4 3/4"	34.5	1000	100	150	300	400	500
1770-15	R	5"	37.5	1000	100	150	300	400	500
1770-16	R	5 1/4"	40.5	1000	100	150	300	400	500
1770-17	R	5 3/4"	43.5	1000	100	150	300	400	500
1770-18	R	6"	46.5	1000	100	150	300	400	500
1770-19	R	6 1/4"	49.5	1000	100	150	300	400	500
1770-20	R	6 3/4"	52.5	1000	100	150	300	400	500
1770-21	R	7"	55.5	1000	100	150	300	400	500
1770-22	R	7 1/4"	58.5	1000	100	150	300	400	500
1770-23	R	7 3/4"	61.5	1000	100	150	300	400	500
1770-24	R	8"	64.5	1000	100	150	300	400	500
1770-25	R	8 1/4"	67.5	1000	100	150	300	400	500
1770-26	R	8 3/4"	70.5	1000	100	150	300	400	500
1770-27	R	9"	73.5	1000	100	150	300	400	500
1770-28	R	9 1/4"	76.5	1000	100	150	300	400	500
1770-29	R	9 3/4"	79.5	1000	100	150	300	400	500
1770-30	R	10"	82.5	1000	100	150	300	400	500
1770-31	R	10 1/4"	85.5	1000	100	150	300	400	500
1770-32	R	10 3/4"	88.5	1000	100	150	300	400	500
1770-33	R	11"	91.5	1000	100	150	300	400	500
1770-34	R	11 1/4"	94.5	1000	100	150	300	400	500
1770-35	R	11 3/4"	97.5	1000	100	150	300	400	500
1770-36	R	12"	100.5	1000	100	150	300	400	500
1770-37	R	12 1/4"	103.5	1000	100	150	300	400	500
1770-38	R	12 3/4"	106.5	1000	100	150	300	400	500
1770-39	R	13"	109.5	1000	100	150	300	400	500
1770-40	R	13 1/4"	112.5	1000	100	150	300	400	500
1770-41	R	13 3/4"	115.5	1000	100	150	300	400	500
1770-42	R	14"	118.5	1000	100	150	300	400	500
1770-43	R	14 1/4"	121.5	1000	100	150	300	400	500
1770-44	R	14 3/4"	124.5	1000	100	150	300	400	500
1770-45	R	15"	127.5	1000	100	150	300	400	500
1770-46	R	15 1/4"	130.5	1000	100	150	300	400	500
1770-47	R	15 3/4"	133.5	1000	100	150	300	400	500
1770-48	R	16"	136.5	1000	100	150	300	400	500
1770-49	R	16 1/4"	139.5	1000	100	150	300	400	500
1770-50	R	16 3/4"	142.5	1000	100	150	300	400	500
1770-51	R	17"	145.5	1000	100	150	300	400	500
1770-52	R	17 1/4"	148.5	1000	100	150	300	400	500
1770-53	R	17 3/4"	151.5	1000	100	150	300	400	500
1770-54	R	18"	154.5	1000	100	150	300	400	500
1770-55	R	18 1/4"	157.5	1000	100	150	300	400	500
1770-56	R	18 3/4"	160.5	1000	100	150	300	400	500
1770-57	R	19"	163.5	1000	100	150	300	400	500
1770-58	R	19 1/4"	166.5	1000	100	150	300	400	500
1770-59	R	19 3/4"	169.5	1000	100	150	300	400	500
1770-60	R	20"	172.5	1000	100	150	300	400	500
1770-61	R	20 1/4"	175.5	1000	100	150	300	400	500
1770-62	R	20 3/4"	178.5	1000	100	150	300	400	500
1770-63	R	21"	181.5	1000	100	150	300	400	500
1770-64	R	21 1/4"	184.5	1000	100	150	300	400	500
1770-65	R	21 3/4"	187.5	1000	100	150	300	400	500
1770-66	R	22"	190.5	1000	100	150	300	400	500
1770-67	R	22 1/4"	193.5	1000	100	150	300	400	500
1770-68	R	22 3/4"	196.5	1000	100	150	300	400	500
1770-69	R	23"	199.5	1000	100	150	300	400	500
1770-70	R	23 1/4"	202.5	1000	100	150	300	400	500
1770-71	R	23 3/4"	205.5	1000	100	150	300	400	500
1770-72	R	24"	208.5	1000	100	150	300	400	500
1770-73	R	24 1/4"	211.5	1000	100	150	300	400	500
1770-74	R	24 3/4"	214.5	1000	100	150	300	400	500
1770-75	R	25"	217.5	1000	100	150	300	400	500
1770-76	R	25 1/4"	220.5	1000	100	150	300	400	500
1770-77	R	25 3/4"	223.5	1000	100	150	300	400	500
1770-78	R	26"	226.5	1000	100	150	300	400	500
1770-79	R	26 1/4"	229.5	1000	100	150	300	400	500
1770-80	R	26 3/4"	232.5	1000	100	150	300	400	500
1770-81	R	27"	235.5	1000	100	150	300	400	500
1770-82	R	27 1/4"	238.5	1000	100	150	300	400	500
1770-83	R	27 3/4"	241.5	1000	100	150	300	400	500
1770-84	R	28"	244.5	1000	100	150	300	400	500
1770-85	R	28 1/4"	247.5	1000	100	150	300	400	500
1770-86	R	28 3/4"	250.5	1000	100	150	300	400	500
1770-87	R	29"	253.5	1000	100	150	300	400	500
1770-88	R	29 1/4"	256.5	1000	100	150	300	400	500
1770-89	R	29 3/4"	259.5	1000	100	150	300	400	500
1770-90	R	30"	262.5	1000	100	150	300	400	500
1770-91	R	30 1/4"	265.5	1000	100	150	300	400	500
1770-92	R	30 3/4"	268.5	1000	100	150	300	400	500
1770-93	R	31"	271.5	1000	100	150	300	400	500
1770-94	R	31 1/4"	274.5	1000	100	150	300	400	500
1770-95	R	31 3/4"	277.5	1000	100	150	300	400	500
1770-96	R	32"	280.5	1000	100	150	300	400	500
1770-97	R	32 1/4"	283.5	1000	100	150	300	400	500
1770-98	R	32 3/4"	286.5	1000	100	150	300	400	500
1770-99	R	33"	289.5	1000	100	150	300	400	500

1770-100	R	33 1/4"	292.5	1000	100	150	300	400	500
1770-101	R	33 3/4"	295.5	1000	100	150	300	400	500
1770-102	R	34"	298.5	1000	100	150	300	400	500
1770-103	R	34 1/4"	301.5	1000	100	150	300	400	500
1770-104	R	34 3/4"	304.5	1000	100	150	300	400	500
1770-105	R	35"	307.5	1000	100	150	300	400	500
1770-106	R	35 1/4"	310.5	1000	100	150	300	400	500
1770-107	R	35 3/4"	313.5	1000	100	150	300	400	500
1770-108	R	36"	316.5	1000	100	150	300	400	500
1770-109	R	36 1/4"	319.5	1000	100	150	300	400	500
1770-110	R	36 3/4"	322.5	1000	100	150	300	400	500
1770-111	R	37"	325.5	1000	100	150	300	400	500
1770-112	R	37 1/4"	328.5	1000	100	150	300	400	500
1770-113	R	37 3/4"	331.5	1000	100	150	300	400	500
1770-114	R	38"	334.5	1000	100	150	300	400	500
1770-115	R	38 1/4"	337.5	1000	100	150	300	400	500
1770-116	R	38 3/4"	340.5	1000	100	150	300	400	500
1770-117	R	39"	343.5	1000	100	150	300	400	500
1770-118	R	39 1/4"	346.5	1000	100	150	300	400	500
1770-119	R	39 3/4"	349.5	1000	100	150	300	400	500
1770-120	R	40"	352.5	1000	100	150	300	400	500
1770-121	R	40 1/4"	355.5	1000	100	150	300	400	500
1770-122	R	40 3/4"	358.5	1000	100	150	300	400	500
1770-123	R	41"	361.5	1000	100	150	300	400	500
1770-124	R	41 1/4"	364.5	1000	100	150	300	400	500
1770-125	R	41 3/4"	367.5	1000	100	150	300	400	500
1770-126	R	42"	370.5	1000	100	150	300	400	500
1770-127	R	42 1/4"	373.5	1000	100	150	300	400	500
1770-128	R	42 3/4"	376.5	1000	100	150	300	400	500
1770-129	R	43"	379.5	1000	100	150	300	400	500
1770-130	R	43 1/4"	382.5	1000	100	150	300	400	500
1770-131	R	43 3/4"	385.5	1000	100	150	300	400	500
1770-132	R	44"	388.5	1000	100	150	300	400	500
1770-133	R	44 1/4"	391.5	1000	100	150	300	400	500
1770-134	R	44 3/4"							

Technical drawing of a cable assembly with a braided shield. The drawing shows a cross-section of the cable with a central conductor, insulation, and a braided shield. Dimensions include L1, L2, and L3. A table below the drawing lists material specifications for various components.

Descr.	Quant.	Unit.	Material	1.1	1.2	1.3	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	m	Cable	1.1	1.2	1.3	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

Technical drawing of a cable system with three branches. The drawing shows a central cable with three branches, each ending in a loop. Dimensions are given in meters (m). The total length of the central cable is L.1. The length of each branch is L.2. The length of the loop at the end of each branch is L.3. The drawing is labeled "Dipartimento di Ingegneria" and "K. 20".

[illegible]

Technical drawing of a cable assembly. The drawing shows a cross-section of the cable with a central conductor, insulation, and a braided shield. Dimensions L1, L2, and L3 are indicated. A table below the drawing lists material specifications for various components.

Code	Time	Specs	Material	L1	L2	L3	Q	Q2	kg
20000	1	100	100	100	100	100	100	100	100
20001	1	100	100	100	100	100	100	100	100
20002	1	100	100	100	100	100	100	100	100
20003	1	100	100	100	100	100	100	100	100
20004	1	100	100	100	100	100	100	100	100
20005	1	100	100	100	100	100	100	100	100
20006	1	100	100	100	100	100	100	100	100
20007	1	100	100	100	100	100	100	100	100
20008	1	100	100	100	100	100	100	100	100
20009	1	100	100	100	100	100	100	100	100
20010	1	100	100	100	100	100	100	100	100
20011	1	100	100	100	100	100	100	100	100
20012	1	100	100	100	100	100	100	100	100
20013	1	100	100	100	100	100	100	100	100
20014	1	100	100	100	100	100	100	100	100
20015	1	100	100	100	100	100	100	100	100
20016	1	100	100	100	100	100	100	100	100
20017	1	100	100	100	100	100	100	100	100
20018	1	100	100	100	100	100	100	100	100
20019	1	100	100	100	100	100	100	100	100
20020	1	100	100	100	100	100	100	100	100
20021	1	100	100	100	100	100	100	100	100
20022	1	100	100	100	100	100	100	100	100
20023	1	100	100	100	100	100	100	100	100
20024	1	100	100	100	100	100	100	100	100
20025	1	100	100	100	100	100	100	100	100
20026	1	100	100	100	100	100	100	100	100
20027	1	100	100	100	100	100	100	100	100
20028	1	100	100	100	100	100	100	100	100
20029	1	100	100	100	100	100	100	100	100
20030	1	100	100	100	100	100	100	100	100
20031	1	100	100	100	100	100	100	100	100
20032	1	100	100	100	100	100	100	100	100
20033	1	100	100	100	100	100	100	100	100
20034	1	100	100	100	100	100	100	100	100
20035	1	100	100	100	100	100	100	100	100
20036	1	100	100	100	100	100	100	100	100
20037	1	100	100	100	100	100	100	100	100
20038	1	100	100	100	100	100	100	100	100
20039	1	100	100	100	100	100	100	100	100
20040	1	100	100	100	100	100	100	100	100

Shield / steel / zinc / silver / yellow - 1775 Nmm2

	Material: <u>Al 2</u>
Quantity: <u>1</u>	Unit: <u>kg</u>
Price: <u>100</u>	Unit Price: <u>100</u>
Total Price: <u>100</u>	Total Price: <u>100</u>
Net Weight: <u>100</u>	Net Weight: <u>100</u>
Gross Weight: <u>100</u>	Gross Weight: <u>100</u>
Volume: <u>100</u>	Volume: <u>100</u>
Remarks: <u>100</u>	Remarks: <u>100</u>
Signature: <u>100</u>	Signature: <u>100</u>
Date: <u>100</u>	Date: <u>100</u>
Project: <u>100</u>	Project: <u>100</u>
Drawn by: <u>100</u>	Drawn by: <u>100</u>
Checked by: <u>100</u>	Checked by: <u>100</u>
Approved by: <u>100</u>	Approved by: <u>100</u>
Scale: <u>100</u>	Scale: <u>100</u>
Version: <u>100</u>	Version: <u>100</u>
Revision: <u>100</u>	Revision: <u>100</u>
Comments: <u>100</u>	Comments: <u>100</u>
Notes: <u>100</u>	Notes: <u>100</u>
Other: <u>100</u>	Other: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>
Final: <u>100</u>	Final: <u>100</u>

[illegible]

