

## HÄLYTYSTORVI, HPT/HTG

712100213

HPT Hälytystorvi 240 V AC, 108 dB

- Hälytystorvi
- 108 dB
- IP65 (HTG), IP55 (HPT)
- Jatkuva ääni



## TUOTEKUVAUS

**HTG:** Tehokas alumiinivalettu äänihälytin vaativiin olosuhteisiin.

**HPT:** Tehokas äähälytin sekä sisä- että ulkokäyttöön esim. teollisuus ja tehdasympäristöön.


TEKNISET TIEDOT

|                       |                 |
|-----------------------|-----------------|
| Asennus               | Vertikaalinen   |
| IP-luokka             | IP55            |
| Johdinkoko            | 2,5 mm²         |
| Kaapelin läpivienti   | 7-10 mm         |
| Kotelon väri          | Harmaa RAL 7035 |
| Max. käyttölämpötila  | 50 °C           |
| Max. nimellisvirta    | 0,12 A          |
| Max. syöttöjännite AC | 264 V AC        |
| Max. taajuus          | 60 Hz           |
| Max. äänenpaine       | 108 dB          |
| Min. käyttölämpötila  | -20 °C          |
| Min. nimellisvirta    | 0,12 A          |
| Min. syöttöjännite AC | 216 V AC        |
| Min. taajuus          | 60 Hz           |
| Min. äänenpaine       | 108 dB          |
| Paino                 | 800 g           |
| Syöttöjännite         | 240 V AC        |
| Äänien määrä          | 1 kpl           |

The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

| Distance (m) | Sound pressure dB (A) |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
|--------------|-----------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|
| 1            | 65                    | 70 | 75 | 80 | 85 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 |
| 2            | 59                    | 64 | 69 | 74 | 79 | 84 | 86 | 88 | 90 | 92 | 94  | 96  | 98  | 100 | 102 | 104 |
| 3            | 55                    | 60 | 65 | 70 | 75 | 80 | 82 | 84 | 86 | 88 | 90  | 92  | 94  | 96  | 98  | 100 |
| 5            | 51                    | 56 | 61 | 66 | 71 | 76 | 78 | 80 | 82 | 84 | 86  | 88  | 90  | 92  | 94  | 96  |
| 10           | 45                    | 50 | 55 | 60 | 65 | 70 | 72 | 74 | 76 | 78 | 80  | 82  | 84  | 86  | 88  | 90  |
| 20           | 39                    | 44 | 49 | 54 | 59 | 64 | 66 | 68 | 70 | 72 | 74  | 76  | 78  | 80  | 82  | 84  |
| 30           | 35                    | 40 | 45 | 50 | 55 | 60 | 62 | 64 | 66 | 68 | 70  | 72  | 74  | 76  | 78  | 80  |
| 50           | 31                    | 36 | 41 | 46 | 51 | 56 | 58 | 60 | 62 | 64 | 66  | 68  | 70  | 72  | 74  | 76  |
| 100          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
| 200          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
| 500          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |

The sound pressure decreases by 6 dB when doubling the distance



The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

| Distance (m) | Sound pressure dB (A) |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
|--------------|-----------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|
| 1            | 65                    | 70 | 75 | 80 | 85 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 |
| 2            | 59                    | 64 | 69 | 74 | 79 | 84 | 86 | 88 | 90 | 92 | 94  | 96  | 98  | 100 | 102 | 104 |
| 3            | 55                    | 60 | 65 | 70 | 75 | 80 | 82 | 84 | 86 | 88 | 90  | 92  | 94  | 96  | 98  | 100 |
| 5            | 51                    | 56 | 61 | 66 | 71 | 76 | 78 | 80 | 82 | 84 | 86  | 88  | 90  | 92  | 94  | 96  |
| 10           | 45                    | 50 | 55 | 60 | 65 | 70 | 72 | 74 | 76 | 78 | 80  | 82  | 84  | 86  | 88  | 90  |
| 20           | 39                    | 44 | 49 | 54 | 59 | 64 | 66 | 68 | 70 | 72 | 74  | 76  | 78  | 80  | 82  | 84  |
| 30           | 35                    | 40 | 45 | 50 | 55 | 60 | 62 | 64 | 66 | 68 | 70  | 72  | 74  | 76  | 78  | 80  |
| 50           | 31                    | 36 | 41 | 46 | 51 | 56 | 58 | 60 | 62 | 64 | 66  | 68  | 70  | 72  | 74  | 76  |
| 100          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
| 200          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |
| 500          |                       |    |    |    |    |    |    |    |    |    |     |     |     |     |     |     |

The sound pressure decreases by 6 dB when doubling the distance

